

## Welcome to Bell Air Lux

At **Bell Air Lux**, we specialize in transforming houses into homes with our exquisite range of quality custom made aluminum windows and doors. Our mission is to redefine the essence of home through innovation and impeccable craftsmanship. We are committed to providing premium-quality windows and doors that enhances the beauty and functionality of their spaces. We have been a trusted partner for homeowners and businesses alike, providing top-quality products for your home, multifamily project or business. Bell Air Lux offers a wide range of luxury aluminum windows and doors that not only come in a wide variety of designs and sizes, but also can be fully customized from the color of the handle to the finish of the glass.

Our commitment to craftsmanship and innovation ensures that every window and door we offer is not just a functional element but a statement of style and reliability. Whether you are renovating your current space or building from scratch, our expert team is here to guide you through every step of the process, from selection to delivery.

Our customers are at the heart of everything we do. We strive to exceed their expectations by providing personalized service, expert guidance, and solutions tailored to their unique needs and preferences.

From striking panel entry doors to versatile sliding and folding options, each door in our collection makes a distinctive statement. Enjoy the flexibility to customize every detail, from size and handles to color finishes and accessories. Additionally, optimize functionality and comfort with optional features like mosquito nets, glass tints, and patterns, allowing for a personalized touch that reflects your individual style.

Discover the difference that quality makes with Bell Air Lux. Contact us today to schedule your consultation and let us help you find the perfect windows and doors to enhance your living or working environment.

01



# Why Aluminum?

#### Durability

Aluminum windows and doors boast exceptional durability, ensuring structural integrity and dependable performance throughout their lifetime. Resistant to warping, cracking, or swelling, they provide stability in diverse climates.

#### Low Maintenance

With excellent weatherproofing and corrosion resistant properties, aluminum requires minimal upkeep, reducing overall maintenance expenses. Unlike other materials, aluminum windows and doors do not need frequent resealing or repainting.

## **Energy Efficiency**

Our aluminum windows and doors are designed with advanced thermal insulation properties, ensuring superior energy efficiency in all seasons. The durable construction and weather-resistant features of aluminum frames help to minimize heat transfer, reducing the need for excessive heating or cooling and ultimately lowering energy bills.

#### Sustainability

Built to last for decades, aluminum is a sustainable choice for windows and doors. Its high recyclability allows for repurposing and reuse, contributing to environmental conservation efforts.

#### Security

With robust frames and high-quality locking mechanisms, our aluminum windows and doors offer exceptional security for your home with their solid construction. Engineered for strength and durability, they provide peace of mind against intruders, safeguarding your family and belongings.

## Soundproofing

Experience tranquility and comfort with our soundproof aluminum windows and doors. Engineered to reduce noise transmission, they create a quiet and peaceful indoor environment, shielding you from external disturbances and ensuring a restful living space

02



## **World of Possibilities**

Bell Air Lux windows are crafted with precision and attention to detail. Our aluminum frame offers sleek sophistication and robust durability, while our vinyl options provide versatility anednergy efficiency.

At Bell Air Lux, innovation is at the heart of everything we do. Our catalog is constantly updated to bring you the latest trends. While we strive to showcase a comprehensive selection, please note that our offerings extend far beyond what's presented here. Stay tuned for exciting updates and new additions.

Join us on a journey of exploration and inspiration as you flip through the pages of our catalog. Whether you're embarking on a new construction project or renovating your existing space, let Bell Air Lux be your trusted partner in creating spaces that reflect your vision and lifestyle.

Welcome to a World of Possibilities.

Welcome to Bell Air Lux.



03




Bell Air Lux 2024 Catalog

# **Folding Doors**

Crafted for convenience and aesthetic appeal, bifold doors consist of multiple panels which open by folding back in sections, accordion-style, to create a wide opening. Whether you want to create a grand entrance to your patio, open up your living room to the garden, or enhance the layout of your commercial space, these doors provide a flexible and stylish solution.

The beauty of bifold doors lies not only in their modern aesthetics but also in their ability to maximize space and provide a seamless transition. Invest in **Bell Air Lux's** bifold doors to bring contemporary touch to your living or working environment, blending style with functionality in a way that transforms the way you experience your space.



04



# 80 Series | 1.7/2.0MM Folding Door









#### **Product Data**

# Wall Thickness — 80mm Glass Slot — 31mm Standard Glass — 5mm + 18A + 5mm Hardware — China Top Quality Hardware Mosquito Net — PP Net Open Way — Folding

#### **Optional Colors**



## **Hardware Configuration**



05







Resistance





Water Penetration Resistance

Heat Insulation

Wind Load Resistance

Sound Insulation

# 105 Series 3.0 | Folding Door





3727 \* 954mm Recommend Size: Height within 4000mm Door leaf width within 1100mm

## Non-thermal break Glass Panel Maximum Size: 4727 \* 954mm Recommend Size: Height within 5000mm Door leaf width within 1100mm

#### **Product Data**

Wall Thickness 120mm Glass Slot 42mm Standard Glass 6+25A+6mm Hardware China Brand Mosquito Net Optional Open Way Folding

## **Optional Colors**









Door left

Handle Lock

Heavy Duty Strong Rollers




Deadbolt



Epdm Sealing Strip

#### **Hardware Configuration**



06











Sound Insulation

# 77 Series Thermal Break | Bi Folding Doors












#### **Product Data**

#### Glass Panel 58 x 68mm Recommend Size 900 x 3000mm Wall Thickness 77mm Glass Slot 20mm Standard Glass 5mm + 20A + 5mm Hardware Germany Brand Mosquito Net PP Net Open Way Folding

**Optional Colors** 



**Hardware Configuration** 

















Water Penetration Heat Insulation


Air Leakage Resistance

Wind Load


Sound Insulation

# 65 Series Non Thermal Break | Folding Door









www.bellairlux.com

#### **Product Data**

Glass Panel 45 x 50mm 800 x 1500mm Recommend Size Wall Thickness 65mm Glass Slot 31mm Standard Glass 5mm + 20A + 5mm Hardware China Brand Mosquito Net N/A Open Way Folding

## **Optional Colors**



## **Hardware Configuration**













80

Sound Insulation

# **Sliding Doors**

With a sleek and modern design, our sliding doors redefine the concept of seamless transitions between indoor and outdoor spaces. Beyond their aesthetic appeal, these doors are a practical choice for maximizing space, making them ideal for both residential and commercial settings.

Sliding doors open horizontally by sliding along a track, rather than swinging on hinges like

traditional doors. They are designed with energy-efficient features to help regulate indoor temperatures, contributing to energy savings and environmental sustainability.

Choose Bell Air Lux's sliding doors for a versatile and functional solution that effortlessly combines form and utility.



09



# 95 Series Thermal Break | Sliding Door






#### **Product Data**

Aluminum Thickness 2.0 - 2.5mm Glass Panel 95 x 55mm Recommend Size (1000-2000) x (1800-3000)mm Wall Thickness 148 / 1220mm Glass Slot Standard Glass 5mm + 20A + 5mm Hardware China / USA Brand Mosquito Net 304 Stainless Steel Net Open Way Sliding

## **Optional Colors**



#### **Hardware Configuration**















Sound Insulation

Heat Insulation

# 135 Series Thermal Break | Sliding Door



#### **Product Data**

#### Aluminum Thickness 2.0 - 2.5mm Glass Panel 76 x 56mm Recommend Size (1000-2500) x (1800-3000)mm Wall Thickness 135 - 204mm Glass Slot Standard Glass 5mm + 20A + 5mm Hardware German Brand (Support Lifting Hardware) Mosquito Net 304 Stainless Steel Net Open Way Sliding

## **Optional Colors**



#### **Hardware Configuration**
















Sound Insulation

# 70 Series Non Thermal Break | Sliding Door







www.bellairlux.com


#### **Product Data**

Aluminum Thickness 1.6 - 1.8mm Glass Panel 70 x 40.5mm Recommend Size 1200 x 2800mm Wall Thickness 105mm / 159mm Glass Slot 30mm Standard Glass 5mm + 15A + 5mm Hardware China Brand Mosquito Net 304 Stainless Steel Net Open Way Sliding

## **Optional Colors**



#### **Hardware Configuration**















12

Water Penetration Resistance

Heat Insulation

Air Leakage Resistance

Wind Load Resistance Sound Insulation

# 40/60 Series Interior | Sliding Door









www.bellairlux.com

#### **Product Data**

Aluminum Thickness 1.2mm Glass Panel 40 x 40 / 60 x 40mm Recommend Size 1000 x 2400 mm Wall Thickness 105mm / 159mm Glass Slot Standard Glass 5mm + 12A/15A + 5mm Hardware China Brand Mosquito Net 304 Stainless Steel Net Open Way Sliding

## **Optional Colors**



#### **Hardware Configuration**













\_\_\_\_



Water Penetration Resistance

Heat Insulation

Air Leakage Resistance

Wind Load Resistance

Sound Insulation

# 115 Series Narrow Frame | Interior Sliding Door





#### **Product Data**

#### Aluminum Thickness 2.0mm Glass Panel 16 x 45mm Recommend Size 1000 x 2600mm Wall Thickness 115 / 172mm Glass Slot 25mm Standard Glass 4mm + 12A +4mm Hardware **OPK Brand** Mosquito Net N/A Open Way Sliding

## **Optional Colors**



## **Hardware Configuration**













Sound Insulation

# **Sliding Windows**

Discover the streamlined simplicity of Bell Air Lux's sliding windows, a modern solution that redefines the way you experience your surroundings. These windows boast a contemporary design, allowing for smooth horizontal operation that effortlessly opens up your space. The horizontal sliding mechanism

not only adds a touch of modernity to your decor but also ensures a seamless and easy-to-use window solution. Whether in a residential or commercial setting, these windows are a versatile choice for maximizing ventilation and natural light.



15



# 60 Series Non Thermal Break | Sliding Windows (1.2mm)






#### **Product Data**

#### Glass Panel 60 x 28mm Recommend Size 800 x 1500mm Wall Thickness 110mm Glass Slot 22mm Standard Glass 4mm + 12A + 4mm Hardware China Brand 304 Stainless Steel Net Mosquito Net Open Way Sliding

## **Optional Colors**



## **Hardware Configuration**



16












Resistance





# 115 Series Thermal Break | Sliding Window (Frame: 1.5mm, Panel: 2.0mm)






#### **Product Data**

#### Glass Panel 55 x 45mm Recommend Size (500-1600) x (600-1800)mm Wall Thickness 115 / 148mm Glass Slot 34mm Standard Glass 5mm + 20A + 5mm Hardware China Brand Mosquito Net 304 Stainless Steel Net Open Way Sliding

**Optional Colors** 



**Hardware Configuration** 













Resistance



Water Penetration

Heat Insulation

Air Leakage Resistance

Sound Insulation

## **Casement Windows**

Casement windows are hinged on one side and open outwards like a door. They open fully, creating a large opening that allows maximum airflow into the room.

When casement windows are open, they provide unobstructed views of the outdoors since there is no center rail or sash. When closed and properly sealed, they offer excellent energy efficiency. The sash presses against the frame, creating a tight

seal that helps prevent drafts and minimizes heat transfer, contributing to energy savings.

The hook-shaped locks embedded in the frame provide a high level of security when the window is closed. The crank or lever mechanism used to open and close casement windows is easy to operate. This is particularly beneficial for individuals with limited mobility, as it requires minimal effort to control. The clean lines and versatile design of casement windows add a touch of elegance to any architectural style.



18



# 65 Series Thermal Break | Casement Window





#### **Product Data**

#### Aluminum Thickness 1.6 mm 78 x 66mm (Out Swing) Glass Panel 76 x 75mm (Tilt & Turn) Recommend Size 800x 1500mm Wall Thickness 65mm Glass Slot 38mm Standard Glass 5mm + 20A + 5mm **Double Clear Tempered** Glass Hardware German Brand Mosquito Net 304 Stainless Steel Net Open Way Casement & Tilt And Turn

## **Optional Colors**



## **Hardware Configuration**



19





Resistance

Heat Insulation











Sound Insulation

Air Leakage

Resistance

# 86 Series Thermal Break | Casement Window









mesh

#### **Product Data**

#### Aluminum Thickness 1.4 mm Glass Panel 80 x 44mm Recommend Size 800 x 1400mm Wall Thickness 86mm Glass Slot 35mm Standard Glass 5mm + 20A + 5mm Hardware German Brand Mosquito Net 304 Stainless Steel Net Open Way Casement

## **Optional Colors**



## **Hardware Configuration**











20



Water Penetration Resistance

Heat Insulation

Air Leakage Resistance

Wind Load Resistance

Sound Insulation

# M100 Series Thermal Break | Casement Window









#### **Product Data**

#### Aluminum Thickness 1.8 mm Glass Panel 52\*77 mm (Slim)/ 69\*54 mm (Regular) Recommend Size 800x 1500mm Wall Thickness 100mm Glass Slot 35mm(Fix) 30mm(Glass panela) Standard Glass 5mm + 20A + 5mm Hardware China Brand(Optional German Brand) 304 Stainless Steel Net Mosquito Net Open Way Casement

#### **Optional Colors**



**Hardware Configuration** 













Water Penetration Heat Insulation

Air Leakage Resistance

Wind Load

Sound Insulation

# 108 Series Thermal Break | Casement Window/ Door






#### **Product Data**

#### Aluminum Thickness 1.4 mm Glass Panel 86 x 57mm Recommend Size 800 x 1500mm Wall Thickness 108mm Glass Slot 37mm Standard Glass 5mm + 20A + 5mm Hardware German Brand Mosquito Net 304 Stainless Steel Net Open Way Casement

## **Optional Colors**



## **Hardware Configuration**













Water Penetration Heat Insulation Resistance

n Air Leakage Resistance

Wind Load

Sound Insulation

# 103 Series Thermal Break | Casement Window/ Door





#### **Product Data**

22

Window 1.6mm/Door 1.8mm
68 x 88mm
(450-1300) x (650 - 2400)mm
103mm
38mm
5mm+20A+5mm Double Clear
Tempered Glass
German Brand
304 Stainless Steel Net/HD Net
Casement & Tilt And Turn

#### **Optional Colors**



#### **Hardware Configuration**



23





Water Penetration









Heat Insulation

Air Leakage Resistance

Wind Load

Sound Insulation

Aluminum Thickness

Recommend Size

Wall Thickness

Standard Glass

Glass Slot

Hardware

Open Way


Mosquito Net

Glass Panel

# 122 Series Thermal Break | Casement Window







#### 23 **Product Data**

Aluminum Thickness 1.8mm Glass Panel 79mm 750x 1400mm Recommend Size Wall Thickness 122mm Glass Slot 42mm Standard Glass 5mm+20A+5mm+12A+5mm Hardware German Brand 304 Stainless Steel Net/HD Net Mosquito Net Open Way Casement & Tilt And Turn

## **Optional Colors**



#### **Hardware Configuration**







D1Y Handle (Gold/ Silver/ Black)



Stainless steel 304 security mesh

24







Heat Insulation





Resistance



Sound Insulation

# **Tilt and Turn Windows**

Introducing Bell Air Lux's Tilt and Turn Windows – a European classic redefined for modern living. These windows seamlessly blend timeless aesthetics with functionality, offering a versatile solution for your space. The unique design of tilt and turn windows allows for two distinct operations. Tilt the window inward at the top for controlled ventilation, providing a refreshing breeze without compromising security.

Alternatively, turn the handle to open the window fully inward like a traditional casement, allowing for maximum airflow and easy cleaning.

Crafted with precision, these windows are available in a variety of configurations, ensuring a customized solution for every need.



25



# 85 Series Thermal Break | Tilt And Turn Window













#### **Product Data**

Aluminum Thickness 1.8mm Glass Panel 66 x 85mm Recommend Size (370-1300) x (530-2700)mm Wall Thickness 85mm Glass Slot 45mm Standard Glass 5mm+12A+5mm+12A+5mm Hardware German Brand Mosquito Net N/A Open Way Casement & Tilt And Turn

## **Optional Colors**



#### **Hardware Configuration**

















Wind Load Resistance

# 105 Series Thermal Break | Tilt And Turn Window








#### **Product Data**

Aluminum Thickness 1.8mm Glass Panel 66 x 72mm (370-1300)x(530-2700)mm Recommend Size Wall Thickness 105mm Glass Slot 45mm Standard Glass 5mm+12A+5mm+12A+5mm Hardware German Brand 304 Stainless Steel Net/HD Net Mosquito Net Open Way Casement & Tilt And Turn

## **Optional Colors**



#### **Hardware Configuration**
















Air Leakage Resistance

Wind Load Resistance

Sound Insulation

# N100 Series Thermal Break | Tilt And Turn Window






#### **Product Data**

#### Aluminum Thickness 1.8mm Glass Panel 41 x 66mm Recommend Size 800x 1500mm Wall Thickness 100mm Glass Slot 42mm Standard Glass 5mm + 20A + 5mm Hardware German Brand 304 Stainless Steel Net Mosquito Net Open Way Casement & Tilt And Turn

## **Optional Colors**



## **Hardware Configuration**









(Gold/ Silver/

D1Y Handle (Gold/ Silver/ Black)

German hardware fittings

Stainless steel 304 security mesh














Water Penetration Heat Insulation

Air Leakage

Resistance

Sound Insulation

# **Opening Modes**



Bell Air Lux 2024 Catalog

